



The future is clean air ... the future is Sourcetec


www.sourcetecindustries.com E-mail: sales@sourcetecindustries.com

Tel: (905) 678-9333 1-800-784-2383 Fax: (905) 678-7133

TECHNICAL INFORMATION

This drawing is the sole property of Sourcetec Industries Inc. We reserve the right to change specifications and details without prior notice. Unauthorized duplication, distribution or use by a third party is strictly prohibited.

SIMPLE EXHAUST SYSTEM HOSE AND BALANCER- HB



DESCRIPTION:

Sourcetec HB Simple Exhaust System is made up of a heavy duty balancer with ratchet mechanism, Pull out the required length of hose and lock the hose in this position. To release pull down on the hose again and it will automatically return to its retracted position. Each system comes complete with either low temp or high temp flexible hose and hose saddle. Sourcetec HB Hose and Balancer system can be used as a single drop or hung from a main duct for a complete system. Hoses are available in 4" up to 8" and lengths up to 33ft.

APPLICATIONS:

- Car Garages
- Maintenance Facilities
- Transit Garages
- Military Vehicle Facilities

STANDARD FEATURES:

- Heavy Duty Balancer with safety chain
- Hose Saddle with rings
- Flexible Exhaust Hose
- Gear Clamps

OPTIONAL FEATURES:

- Wall Bracket
- Exhaust Fan
- Tail Pipe adaptor
- Alternate hoses for various applications available



The future is clean air ... the future is **Sourcetec**


www.sourcetecindustries.com E-mail: sales@sourcetecindustries.com

Tel: (905) 678-9333 1-800-784-2383 Fax: (905) 678-7133

TECHNICAL INFORMATION

This drawing is the sole property of Sourcetec Industries Inc. We reserve the right to change specifications and details without prior notice. Unauthorized duplication, distribution or use by a third party is strictly prohibited.

SIMPLE EXHAUST SYSTEM ROPE AND PULLEY - RP



DESCRIPTION:

Sourcetec RP Rope and Pulley Simple Exhaust System is made up of rope and pulley mechanisms to lift and lower low temp or high temp flexible hose and hose saddle. Sourcetec RP Rope and Pulley System can be used as a single drop or hung from the main duct for a complete system. Hoses are available in 4" up to 8" Dia and lengths up to 33ft.

APPLICATIONS:

- Car Garages
- Maintenance Facilities
- Transit Garages
- Military Vehicle Facilities

STANDARD FEATURES:

- Swivel Pulley with Mounting Plate
- Fixed Pulley with Mounting Plate
- 50ft of Rope
- Wall mounted locking winch
- Hose Saddle
- Flexible Exhaust Hose
- Gear Clamps

OPTIONAL FEATURES:

- Wall Bracket
- Exhaust Fan
- Tail Pipe adaptor
- Alternate hoses



The future is clean air ... the future is **Sourcetec**


www.sourcetecindustries.com E-mail: sales@sourcetecindustries.com

Tel: (905) 678-9333 1-800-784-2383 Fax: (905) 678-7133

TECHNICAL INFORMATION

This drawing is the sole property of Sourcetec Industries Inc. We reserve the right to change specifications and details without prior notice. Unauthorized duplication, distribution or use by a third party is strictly prohibited.

SIMPLE EXHAUST SYSTEM MANUAL WINCH - HW



NOTE: TAILPIPE ADAPTOR
MUST BE USED ON HOSE END

DESCRIPTION:

Sourcetec HW Hose and Winch Simple Exhaust System is made up of rope and pulley mechanisms and a wall mounted winch to lift and lower low temp or high temp flexible hose and hose saddle. Sourcetec HW Hose and Winch can be used as a single drop or hung from the main duct for a complete system. Hoses are available in 4" up to 8" Dia and lengths up to 33ft.

APPLICATIONS:

- Car Garages
- Maintenance Facilities
- Transit Garages
- Military Vehicle Facilities

STANDARD FEATURES:

- Swivel Pulley with Mounting Plate
- Fixed Pulley with Mounting Plate
- 50ft of Rope
- Wall mounted locking winch
- Hose Saddle with rings
- Flexible Exhaust Hose
- Gear Clamps

OPTIONAL FEATURES:

- Wall Bracket
- Exhaust Fan
- Tail Pipe adaptor
- Alternate hoses



The future is clean air ... the future is Sourcetec


www.sourcetecindustries.com E-mail: sales@sourcetecindustries.com

Tel: (905) 678-9333 1-800-784-2383 Fax: (905) 678-7133

TECHNICAL INFORMATION

This drawing is the sole property of Sourcetec Industries Inc. We reserve the right to change specifications and details without prior notice. Unauthorized duplication, distribution or use by a third party is strictly prohibited.

SIMPLE EXHAUST SYSTEM HOSE AND SLING - HS



DESCRIPTION:

Sourcetec HS Hose and Sling Simple Exhaust System comes with no lifting mechanisms. The hose is picked up off the ground and held in place by a sling with a hook that is attached to the hose itself. Sourcetec HS Hose and Sling System can be used as a single drop or hung from the main duct for a complete system. Hoses are available in 4" up to 8" Dia and lengths up to 33ft.

APPLICATIONS:

- Car Garages
- Maintenance Facilities
- Transit Garages
- Military Vehicle Facilities

STANDARD FEATURES:

- Hose Saddles
- Hose Slings
- Flexible Exhaust Hose
- Gear Clamps

OPTIONAL FEATURES:

- Wall Bracket
- Tail Pipe adaptor
- Alternate hoses for various applications available